

Screening Tests and Immunizations Guidelines for Men

This chart lists recommended screenings and immunizations for men at average risk for most diseases. These are guidelines only. Your doctor will personalize the timing of each test and immunization to best meet your health care needs.

Screening Tests	Ages 18-39	Ages 40-49	Ages 50-64	Ages 65 and Older
General Health: Full checkup, including weight and height	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.
Heart Health: Blood pressure test	At least every 2 years	At least every 2 years	At least every 2 years	At least every 2 years
Cholesterol test	Start at age 20, discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.
Diabetes: Blood sugar test	Discuss with your doctor or nurse.	Start at age 45, then every 3 years	Every 3 years	Every 3 years
Prostate Health: Digital Rectal Exam (DRE)		Discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.
Prostate-Specific Antigen (PSA) (blood test)		Discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.
Reproductive Health: Testicular exam	Monthly self-exam; and part of a general checkup.	Monthly self-exam; and part of a general checkup.	Monthly self-exam; and part of a general checkup.	Monthly self-exam; and part of a general checkup.
Chlamydia test	Discuss with your	Discuss with your	Discuss with your doctor or	Discuss with your doctor or

	doctor or nurse.	doctor or nurse.	nurse.	nurse.
Sexually Transmitted Disease (STD) tests	Both partners should get tested for STDs, including HIV, before initiating sexual intercourse.	Both partners should get tested for STDs, including HIV, before initiating sexual intercourse.	Both partners should get tested for STDs, including HIV, before initiating sexual intercourse.	Both partners should get tested for STDs, including HIV, before initiating sexual intercourse.
Colorectal Health: Fecal occult blood test			Yearly	Yearly
Flexible Sigmoidoscopy (with fecal occult blood test is preferred)			Every 5 years (if not having a colonoscopy)	Every 5 years (if not having a colonoscopy)
Double Contrast Barium Enema (DCBE)			Every 5-10 years (if not having a colonoscopy or sigmoidoscopy)	Every 5-10 years (if not having a colonoscopy or sigmoidoscopy)
Colonoscopy			Every 10 years	Every 10 years
Rectal exam	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Every 5-10 years with each screening (sigmoidoscopy, colonoscopy, or DCBE)	Every 5-10 years with each screening (sigmoidoscopy, colonoscopy, or DCBE)
Eye and Ear Health: Eye exam	Get your eyes checked if you have problems or visual changes.	Every 2-4 years	Every 2-4 years	Every 1-2 years

Hearing test	Starting at age 18, then every 10 years	Every 10 years	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.
Skin Health: Mole exam	Monthly mole self-exam; by a doctor every 3 years, starting at age 20.	Monthly mole self-exam; by a doctor every year.	Monthly mole self-exam; by a doctor every year.	Monthly mole self-exam; by a doctor every year.
Oral Health: Dental exam	One to two times every year	One to two times every year	One to two times every year	One to two times every year
Mental Health Screening	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.
Immunizations: Influenza vaccine	Discuss with your doctor or nurse.	Discuss with your doctor or nurse.	Yearly	Yearly
Pneumococcal vaccine				One time only
Tetanus-Diphtheria Booster vaccine	Every 10 years	Every 10 years	Every 10 years	Every 10 years

Last Updated May 2005

Source:
National Women's Health Information Center
<http://womenshealth.gov/screeningcharts/mens.htm>