

LAKE COUNTY DEPT. OF UTILITIES APPROVED MATERIALS – SEWER

Table of Contents

Section	Page
1. <u>Pipe and Fittings – Sec.3.01 Rules and Regulations</u>	
A. PVC Plastic Pipe and fittings	2
B. Reinforced Concrete Pipe and Fittings	2
C. Vitrified Clay Pipe and Fittings	2
D. Ductile Iron Pipe and Fittings	2
E. Force Mains	3
2. <u>Polyethylene Encasement - 3.02 Rules and Regulations</u>	
3. <u>Pipe Insulation -3.03 Rules and Regulations</u>	
4. <u>Pipeline Marker – 3.04 Rules and Regulations</u>	
5. <u>Steel Encasement Pipe – 3.05 Rules and Regulations</u>	
A. Casing chocks	3
6. <u>Manhole - 3.06 Rules and Regulations</u>	
A. Chimney seals	3
7. <u>Frames and Covers - 3.07 Rules and Regulations</u>	3
8. <u>Drop connections - 3.08 Rules and Regulations</u>	4
9. <u>Service connections – 3.09 Rules and Regulations</u>	4
10. <u>Air Release valves for force mains – 3.10 Rules and Regulations</u>	4
11. <u>Wastewater Pump Stations – 3.11 Rules and Regulations</u>	4

LAKE COUNTY DEPT OF UTILITIES APPROVED MATERIALS – SEWER

Manufacturer

Model Number

Size

Comments

1. Pipe and Fittings – Sec. 3.01 Rules & Regulations

A: PVC Pipe and Fittings SDR 26

Diamond	4" – 15" Gasket only
JM Eagle	4" – 15" Gasket only
National / Evergreen	4" – 15" Gasket only
Westlake/ WPF	4" – 15" Gasket only
A1. Fittings SDR 26	
Harco	4" – 24" Gasket only
Vassallo	
GPK Products	4" – 24" Gasket only
Plastic Trends / Westlake / WPF	4" – 36" Gasket only
Multi Fittings	4" - 48" Gasket only
Napco	4" – 18" Gasket only
Sanderson	4" – 15" Gasket only

B. Reinforced Concrete pipe class 4 or 5

Hanson / Inland pipe co.	10" – 120" Reinforced concrete
--------------------------	--------------------------------

C. Vitrified Clay Pipe

Logan	4" – 24" O- Ring gasket
Can clay	4" – 48" O- Ring gasket

D. Ductile Iron pipe and fittings CL 52 min. boltless cl 56 in casing

American	4" – 64" Fastite
Clow / McWayne	3" – 36" Tyton joint
U.S.Pipe	3" – 64" Tyton joint

E. Force Mains

American	Flex ring restraint
Clow / McWayne	TR Flex restraint

LAKE COUNTY DEPT OF UTILITIES APPROVED MATERIALS – SEWER

Manufacturer

Model Number

Size

Comments

U.S. Pipe

TR Flex restraint

HDPE Pipe DR11 DIPS Size

A. Tracer wire

10 gauge

B. Tracer wire box

Snake pit

HDPE Fittings

See specifications in the Rules and Regulations Sec 3

F. Residential Force Mains

See specifications in the Rules and Regulations sec 3

2. Polyethelene Encasement. Sec 3.02 Rules and Regulations

See specifications in the Rules and Regulations sec 3

3. Pipe insulation Sec 3.03 Rules and Regulations

See specs in the Rules and Regulations sec 3

4. Pipe line markers. Sec 3.04 Rules and Regulations

See specs in Rules and Regulations sec 3

5. Steel Encasement Pipe Sec 3.05 Rules and Regulations

A. Casing Chocks stainless bands

Power seal pipe products 4810

Cascade Water world

Advance Products INC

6. Manholes Sec 3.06 Rules and Regulations

Mack

A-lok flexible joints

Lindsey

A-lok flexible joints

McGill

A-lok flexible joints

LAKE COUNTY DEPT OF UTILITIES APPROVED MATERIALS – SEWER

Manufacturer

Model Number

Size

Comments

External chimney seals	Rapid Seal
------------------------	------------

7. Frames and covers Sec 3.07 Rules and Regulations

East Jordan Iron works 1710 -Z

Neenah R-1782

8. Drop Connections Sec 3.08 Rules and Regulations

Mack	6" min Encased integral pipe D.I.P. or PVC SDR 26
------	---

Lindsey	6" min Encased integral pipe D.I.P. or SDR 26 PVC
---------	---

McGill	6" min Encased integral pipe D.I.P. or SDR 26 PVC
--------	---

9. Service connections Sec 3.09 Rules and Regulations

A. Pipe coupler	Size to size
-----------------	--------------

1. Mission Band rubber company	Flex seal Arc coupler 4" – 27"
--------------------------------	--------------------------------

B. Pipe coupler/reducer

1. Fernco Coupling Company	4" by 6" at house
----------------------------	-------------------

2. Mission Band Rubber Company	
--------------------------------	--

C. Backwater Valves

1. Rector Seal	
----------------	--

10. Air Release Valves

See section 3.10 in the Rules and Regulations

11. Waste Water Pump Stations

See section 3.11 in the Rules and Regulations